

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 23 May 2002 (23.05.2002)

PCT

(10) International Publication Number WO 02/39980 A2

(51) International Patent Classification7:

A61K 9/00

(21) International Application Number: PCT/SI01/00031

(22) International Filing Date:

20 November 2001 (20.11.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: P-200000282 20 November 2000 (20.11.2000) SI

(71) Applicant (for all designated States except US): LEK, TOVARNA FARMACEVTSKIH IN KEMIÈNIH IZDELKOV, D.D. [SI/S1]; Verov?kova 57, 1526 Ljubljana (S1).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SIRCA, Judita [SI/SI]; Ga?per?ièeva 7, 1000 Ljubljana (SI).

(74) Agent: PATENTNA PISARNA, D.O.O.; Copova 14, POB 1725, 1001 Ljubljana (SI).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



V

(54) Title: NOVEL PHARMACEUTICAL FORMULATION IN THE FORM OF CELLULOSE CAPSULES SUITABLE FOR BENZIMIDAZOLE DERIVATIVES

(57) Abstract: Described is a novel pharmaceutical formulation in the form of a capsule for oral use, which consists of a cellulose derivative as the base and enteric coating pellets, manufactured by anhydrous granulation of a therapeutically effective amount of an active substance that is a benzimidazole derivative and of dried pharmaceutically acceptable excipients, whereat all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 1 %.

NOVEL PHARMACEUTICAL FORMULATION IN THE FORM OF CELLULOSE CAPSULES SUITABLE FOR BENZIMIDAZOLE DERIVATIVES

Technical Field of the Invention

(IPC: A 61J 3/07, C07D 235/04)

The invention belongs to the field of pharmaceutical technology and relates to the use of hard capsules for active substances that have poor water solubility, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances, whereas they have good stability in a neutral or alkaline medium, are quickly absorbed and metabolized and have an extended period of action. More precisely, the present invention relates to the use of hard capsules containing cellulose derivatives as the base, for the preparation of a pharmaceutical form with controlled release of active substances which are benzimidazole derivatives.

Technical Problem

There exists a constant need for the preparation of pharmaceutical formulations in the form of capsules, by which, in a technologically simple manner, a good stability of active substances that have poor water solubility, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances, whereas they have good stability in a neutral or an alkaline medium, are quickly absorbed and metabolized and have an extended period of action, is achieved. Hitherto known pharmaceutical formulations in the form of capsules containing such active substances use enteric coating pellets filled into hard gelatin capsules for providing a suitable stability of the active substance. These capsules have the disadvantage that they contain 13 to 15 wt. % of water. Therefore an additional drying of the capsules filled with enteric coating pellets is necessary.

Prior Art

In US 5,264,223 and US 5,431,917 hard capsules containing water-soluble cellulose derivative as the base, a gel-forming agent and a gelling additive are described. An advantage of the described capsules is that they are less brittle in conditions of lower humidity.

In US 5,756,123 hard gelatin capsules containing a water-soluble cellulose derivative such as hydroxypropylmethyl cellulose (HPMC) as the base are described. The main advantage of the described capsules is the use of the water-soluble cellulose derivative HPMC as the base, which does not disintegrate under special conditions (e.g. after consuming milk products).

In the article of T. Ogura, Y. Furuya, S. Matsuura (Pharmaceutical Technology Europe, November 1998, Volume 10, Number 11, pp. 32-42), a comparison between gelatin and HPMC capsules is described. It is stated that HPMC capsules are, *inter alia*, also suitable for active substances that are unstable in water. For active substances that are extremely sensitive to moisture, however, in order to increase their stability, pharmaceutically acceptable excipients absorbing water have to be added to the pharmaceutical formulation and an additional drying agent to the package nevertheless.

In WO 99/03453 there is described a novel pharmaceutical formulation with controlled release of active substances that are unstable in an acidic medium, unstable at extended storage in the presence of water and at the same time sensitive to heating, which is prepared by anhydrous granulation of active substances and additionally dried pharmaceutically acceptable substances with all pharmaceutically acceptable excipients dried prior to use in such a manner that their moisture content is lower than 1.0 %, preferably lower than 0.5 %. Enteric coating pellets are then filled into hard gelatin capsules.

Description of Solution to Technical Problem with Examples

The invention is based upon the task to prepare a novel pharmaceutical formulation with active substances that have poor water solubility, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances, whereas they have good stability in a neutral or alkaline medium, are quickly absorbed and metabolized and have an extended period of action. In the narrow sense, the invention deals with a pharmaceutical formulation in which enteric coating pellets are filled into hard cellulose capsules consisting of a water-soluble cellulose derivative, preferably hydroxypropylmethyl cellulose (HPMC) as the base.

It has surprisingly been found that cellulose capsules are also suitable for active substances that have poor water solubility, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances, whereas they have good stability in a neutral or alkaline medium, are quickly absorbed and metabolized and have an extended period of action. It has to be pointed out that into the inventive pharmaceutical formulation as such, no pharmaceutically acceptable excipient absorbing water has to be added nor does any additional drying agent have to be inserted into the package.

In comparison to hard gelatin capsules, the technological process with cellulose capsules simplifies and shortens the technological process of manufacturing a pharmaceutical formulation according to the invention, since there is no need for any additional drying of already filled capsules to achieve the same stability of the active substances as by using hard gelatin capsules. The process of drying hard gelatin capsules lasts from 15 to 20 hours, which means that during all this time the active substance, which is poorly water-soluble and unstable in the presence of moisture, is exposed to the humid environment of the gelatin capsule.

By the use of cellulose capsules where drying is not necessary, the complete process of manufacturing the pharmaceutical formulation according to the invention is shortened, which is of essential importance with active substances that are poorly water-soluble, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances. Drying is an energy-consuming process, therefore the omission of drying saves large amounts of energy. Additionally, by the use of cellulose capsules instead of hitherto common hard gelatin capsules more production series of the final product can be made within the same period of time.

Pharmaceutical formulation according to the invention, wherein enteric coating pellets are filled into cellulose capsules, is especially suitable for active substances such as benzimidazole derivatives, which are known as substances that have poor water solubility, quickly disintegrate in an acidic medium and are unstable in the presence of moisture, solvents and acidic substances, whereas they have good stability in a neutral or alkaline medium, are quickly absorbed and metabolized and have an extended period of action. As active substances various benzimidazole derivatives can be used such as omeprazole, lansoprazole, timoprazole, rabeprazole, pantoprazole, leminoprazole, pariprazole, esomeprazole and their pharmaceutically acceptable salts such as sodium and magnesium salts. Active substances may also be in the form of their optical isomers and their pharmaceutically acceptable salts such as sodium and magnesium salts. These active substances are known as proton pump inhibitors and are used in the treatment of gastrointestinal diseases.

Enteric coating pellets to be filled in cellulose capsules are prepared according to a process of anhydrous granulation of active substances and of additionally dried pharmaceutically acceptable excipients, which are, prior to use, dried in such a manner that their moisture content is less than 1.0 %, preferably less than 0.5 %. The composition of enteric coating pellets and the manufacture thereof are described in WO 99/03453. Enteric coating pellets may be filled into cellulose capsules on all known capsulating machines that are usually used for filling pellets into hard gelatin capsules.

The invention is illustrated but in no way limited by the following working examples.

Example 1:

a) Pellet cores

Composition for 1000 g of pellet cores.

Omeprazole	100 g
Low substituted hydroxypropylcellulose (13 to 16 % of	150 g
hydroxypropoxy groups)	
Microcrystalline cellulose	150 g
Mannitol	478 g
Sodium cross-linked carboxymethylcellulose	50 g
Polyvinylpyrrolidone K 25	70 g
Polyoxyethylated hydrogenated castor oil	2 g

The used pharmaceutically acceptable excipients were, prior to use, dried in such a manner that their moisture content was less than 1.0 %, preferably less than 0.5 %.

A series of 1000 g of pellet cores was prepared according to the following process:

2 g of polyoxyethylated hydrogenated castor oil (Cremophor® RH 40) was dissolved at room temperature in 300 g of absolute ethanol. At room temperature, the formed solution (302 g) was dispersed in a fluidized bed granulator onto previously prepared homogeneous mixture of powder components 100 g of omeprazole, 150 g of dried low-substituted hydroxypropylcellulose (L-HPC LH-20), 150 g of dried microcrystalline cellulose, 478 g of dried mannitol, 50 g of dried sodium cross-linked carboxymethylcellulose and 70 g of dried polyinylpyrrolidone K 25. So prepared plastic mixture was extruded and than spheronized. The formed pellet cores were dried in a fluidized bed or in a chamber dryer at a temperature of inlet air from 35 to 45°C, until the moisture content was less than 0.5%.

In such a manner 1000 g of pellet cores were obtained.

b) Enteric coating pellets

Pellet cores	1000 g
Hydroxypropylmethyl cellulose phthalate	150 g
Dibutyl sebacate	15 g

150 g of hydroxypropylmethyl cellulose phthalate and 15 g of dibutyl sebacate were dissolved at room temperature in a mixture of 1754 g of absolute ethanol and 438 g of acetone. The prepared solution was sprayed onto pellet cores in a fluidized bed apparatus.

c) Capsulation

On a capsulating machine with gravimetrical filling the manufactured enteric coating pellets were filled into cellulose capsules Qualicaps Shionogi (cellulose capsules containing hydroxypropylmethyl cellulose as the cellulose derivative) with the content of omeprazole amounting to 20 mg/capsule.

Example 2:

a) Pellet cores

Composition for 1000 g of pellet cores:

Lansoprazole	100 g
Microcrystalline cellulose	200 g
Mannitol	598 g
Sodium starch glycolate	50 g
Polyvinylpyrrolidone K 25	50 g
Polysorbate 80	2 g

The used pharmaceutically acceptable excipients were, prior to use, dried in such a manner that their moisture content was less than 1.0 %, preferably less than 0.5 %.

Pellet cores were prepared according to the same process as in the Example 1 with exception that the active substance omeprazole was replaced by lansoprazole, dried low-substituted hydroxypropylcellulose (L-HPC LH-20) was replaced by microcrystalline cellulose, sodium cross-linked carboxymethylcellulose was replaced by sodium starch glycolate and the surfactant polyoxyethylated hydrogenated castor oil (Cremophor[®] RH 40) was replaced by Polysorbate 80.

b) Enteric coating pellets

Pellet cores	1000 g
Eudragit L 100	150 g
Dibutyl sebacate	22 g
Talc	15 g

150 g of Eudragit and 22 g of dibtuyl sebacate were dissolved at room temperature in 1325 g of absolute ethanol and 15 g of talc were dispersed. Under constant stirring the prepared suspension was sprayed onto pellet cores in an apparatus with fluidized air.

c) Capsulation

On a capsulating machine with gravimetrical filling the manufactured enteric coating pellets were filled into cellulose capsules Qualicaps Shionogi (cellulose capsules containing hydroxypropylmethyl cellulose as a cellulose derivative) with the content of lansoprazole amounting to 20 mg/capsule.

Example 3

Comparison of pharmaceutical formulations in the form of gelatin capsules and cellulose capsules and advantages of the use of cellulose capsules

a) Preparation of pharmaceutical formulation

For the comparative test enteric coating pellets were prepared according to the process described in Example 1, points a) and b), whereupon, on a capsulating machine with gravimetrical filling, some were filled into hard gelatin capsules and others into cellulose capsules Qualicaps Shionogi (the cellulose derivative was hydroxypropylmethyl cellulose).

b) Drying of pharmaceutical formulation

In the technological process of manufacturing the pharmaceutical formulation this phase took place immediately after capsulating.

Table 1: Comparison of drying time of capsules in the technological process of manufacturing the pharmaceutical formulation

Capsules used	Pharmaceutical formulation	Pharmaceutical formulation
	using hard gelatin capsules	using cellulose capsules
Drying time	15-20 hours	0 hours

c) Stability of active substance

Table 2: Comparison of stability of pharmaceutical forms

Capsules used	Pharmaceutical formulation	Pharmaceutical formulation	
	using hard gelatin capsules	using cellulose capsules	
Related substances and			
disintegration products			
after 3 months at conditions	1.10 %	1.09 %	
of 40 °C and 75% relative			
humidity			

Determination of related substances and disintegration products

Principle HPLC determination

Chromatography conditions

- stationary phase Symmetry C8

- dimensions: $150 \times 4.6 \text{ mm}$

- temperature: 30°C or controlled room temperature,

Mobile phase: buffer : acetonitrile

300 : 100, vol. ratio,

Flow: 0.8 ml/min,

Injection volume 50 µl

Wave length UV, 320 nm.

WO 02/39980 PCT/SI01/00031

10

From the above tables it is evident that in comparison with the hard gelatin capsules the use of cellulose capsules does not impair the stability of the active substance, yet it brings big savings in the technological process due to the omission of the long drying phase (energy savings, larger production capacity).

A great advantage of the use of cellulose capsules is also the fact that the active substance that is unstable in the presence of moisture is not exposed to the humid environment of the gelatin capsule for a lengthy period of time.

Into the pharmaceutical formulation according to the invention that is manufactured according to the process of anhydrous granulation of the active substance and of dried pharmaceutically acceptable excipients, no pharmaceutically acceptable water-absorbing excipient has to be added. Due to the smaller number of excipients the novel pharmaceutical formulation puts less strain on the patient's organism.

No drying agent has to be added into the final package.

The capsulating of the pharmaceutical formulation with cellulose capsules according to the invention is performed on the same equipment i.e. the same capsulating machines as with hard gelatin capsules.

Claims

- 1. A capsule for oral use, characterized in that it consists of a cellulose derivative as the base and that the active substance is a benzimidazole derivative.
- 2. A capsule for oral use according to claim 1, characterized in that the cellulose derivative is hydroxypropylmethyl cellulose.
- 3. A capsule for oral use according to claim 1, characterized in that the benzimidazole derivative is selected from a group comprising omeprazole, lansoprazole, timoprazole, rabeprazole, pantoprazole, leminoprazole, pariprazole, esomeprazole, their pharmaceutically acceptable salts, their optically active isomers and pharmaceutically acceptable salts thereof.
- 4. A capsule for oral use according to claim 3, characterized in that the active substance is omeprazole or its pharmaceutically acceptable salt.
- 5. A capsule for oral use according to claim 3, characterized in that the active substance is an optically active isomer of omeprazole or a pharmaceutically acceptable salt thereof.
- 6. A capsule for oral use according to claim 3, characterized in that the active substance is lansoprazole or its pharmaceutically acceptable salt.
- 7. A capsule for oral use according to claim 3, characterized in that the active substance is an optically active isomer of lansoprazole or a pharmaceutically acceptable salt thereof.
- 8. A pharmaceutical formulation in the form of a capsule for oral use, characterized in that it contains:
 - a) a capsule consisting of a cellulose derivative as the base and

- b) enteric coating pellets manufactured by anhydrous granulation of a therapeutically effective amount of an active substance that is a benzimidazole derivative and of dried pharmaceutically acceptable excipients.
- 9. A pharmaceutical formulation in the form of a capsule for oral use according to claim 8, characterized in that the cellulose derivative is hydroxypropylmethyl cellulose.
- 10. A pharmaceutical formulation in the form of a capsule for oral use according to claim 8, characterized in that the benzimidazole derivative is selected from a group comprising omeprazole, lansoprazole, timoprazole, rabeprazole, pantoprazole, leminoprazole, pariprazole, esomeprazole, their pharmaceutically acceptable salts, their optically active isomers and pharmaceutically acceptable salts thereof.
- 11. A pharmaceutical formulation in the form of a capsule for oral use according to claim 10, characterized in that the active substance is omeprazole or its pharmaceutically acceptable salt.
- 12. A pharmaceutical formulation in the form of a capsule for oral use according to claim 10, characterized in that the active substance is an optically active isomer of omeprazole or a pharmaceutically acceptable salt thereof.
- 13. A pharmaceutical formulation in the form of a capsule for oral use according to claim 10, characterized in that the active substance is lansoprazole or its pharmaceutically acceptable salt.
- 14. A pharmaceutical formulation in the form of a capsule for oral use according to claim 10, characterized in that the active substance is an optically active isomer of lansoprazole or a pharmaceutically acceptable salt thereof.

- 15. A pharmaceutical formulation in the form of a capsule for oral use according to claim 8, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 1 %.
- 16. A pharmaceutical formulation in the form of a capsule for oral use according to claim 15, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 0.5 %.
- 17. A process for the preparation of a pharmaceutical formulation in the form of a capsule for oral use according to claims 8 to 16, characterized in that enteric coating pellets are filled into capsules consisting of a cellulose derivative as the base.
- 18. A process for the preparation of a pharmaceutical formulation in the form of a capsule for oral use according to claim 17, characterized in that the cellulose derivative is hydroxypropylmethyl cellulose.
- 19. A pharmaceutical formulation in the form of a capsule for oral use according to claims 8 to 16, characterized in that it is used for the treatment of gastrointestinal diseases.
- 20. A method of treatment of gastrointestinal diseases comprising administering to patients suffering from gastrointestinal diseases a pharmaceutical formulation in the form of a capsule for oral use which contains:
 - a) a capsule consisting of a cellulose derivative as the base and
 - b) enteric coating pellets manufactured by anhydrous granulation of a therapeutically effective amount of an active substance that is a benzimidazole derivative and of dried pharmaceutically acceptable excipients.
- 21. A method of treatment of gastrointestinal diseases according to claim 20, characterized in that the cellulose derivative is hydroxypropylmethyl cellulose.

- 22. A method of treatment of gastrointestinal diseases according to claim 20, characterized in that the benzimidazole derivative is selected from a group comprising omeprazole, lansoprazole, timoprazole, rabeprazole, pantoprazole, leminoprazol, pariprazole, esomeprazole, their pharmaceutically acceptable salts, their optically active isomers and pharmaceutically acceptable salts thereof.
- 23. A method of treatment of gastrointestinal diseases according to claim 22, characterized in that the active substance is omeprazole or its pharmaceutically acceptable salt.
- 24. A method of treatment of gastrointestinal diseases according to claim 22, characterized in that the active substance is an optically active isomer of omeprazole or a pharmaceutically acceptable salt thereof.
- 25. A method of treatment of gastrointestinal diseases according to claim 22, characterized in that the active substance is lansoprazole or its pharmaceutically acceptable salt.
- 26. A method of treatment of gastrointestinal diseases according to claim 22, characterized in that the active substance is an optically active isomer of lansoprazole or a pharmaceutically acceptable salt thereof.
- 27. A method of treatment of gastrointestinal diseases according to claim 20, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 1 %.
- 28. A method of treatment of gastrointestinal diseases according to claim 27, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 0.5 %.

- 29. A use of a pharmaceutical formulation in the form of a capsule for oral use for treatment of gastrointestinal diseases, characterized in that the pharmaceutical formulation contains:
 - a) a capsule consisting of a cellulose derivative as the base and
 - b) enteric coating pellets manufactured by anhydrous granulation of a therapeutically effective amount of an active substance that is a benzimidazole derivative and of dried pharmaceutically acceptable excipients.
- 30. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 29, characterized in that the cellulose derivative is hydroxypropylmethyl cellulose.
- 31. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 29, characterized in that the benzimidazole derivative is selected from a group comprising omeprazole, lansoprazole, timoprazole, rabeprazole, pantoprazole, leminoprazole, pariprazole, esomeprazole, their pharmaceutically acceptable salts, their optically active isomers and pharmaceutically acceptable salts thereof.
- 32. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 31, characterized in that the active substance is omeprazole or its pharmaceutically acceptable salt.
- 33. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 31, characterized in that the active substance is an optically active isomer of omegrazole or a pharmaceutically acceptable salt thereof.
- 34. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 31, characterized in that the active substance is lansoprazole or its pharmaceutically acceptable salt.

- 35. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 31, characterized in that active substance is an optically active isomer of lansoprazole or a pharmaceutically acceptable salt thereof.
- 36. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 29, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 1 %.
- 37. A use of a pharmaceutical formulation in the form of a capsule for oral use according to claim 36, characterized in that all used pharmaceutically acceptable excipients are, prior to use, dried in such a manner that their moisture content is less than 0.5 %.

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 23 May 2002 (23.05.2002)

PCT

(10) International Publication Number WO 02/039980 A3

(51) International Patent Classification7: A61K 9/48, 31/454, A61P 1/00

(22) International Filing Date:

(21) International Application Number:

20 November 2001 (20.11.2001)

(25) Filing Language:

English

PCT/SI01/00031

(26) Publication Language:

English

(30) Priority Data: P-200000282

20 November 2000 (20.11.2000) SI

(71) Applicant (for all designated States except US): LEK, TOVARNA FARMACEVTSKIH IN KEMIÈNIH IZDELKOV, D.D. [SI/SI]; Verov?kova 57, 1526 Ljubljana (SI).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SIRCA, Judita [SI/SI]: Ga?per?ièeva 7, 1000 Ljubljana (SI).

(74) Agent: PATENTNA PISARNA, D.O.O.; Copova 14, POB 1725, 1001 Ljubljana (SI).

(81) Designated States (national): AE. AG. AL. AM. AT. AU. AZ. BA. BB. BG. BR. BY, BZ. CA, CH. CN. CO. CR. CU. CZ. DE. DK. DM. DZ, EC, EE. ES. FI, GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE. KG. KP. KR. KZ. LC. LK. LR. LS. LT. LU. LV, MA. MD. MG. MK. MN, MW. MX. MZ. NO. NZ. PH. PL. PT. RO. RU. SD. SE. SG. SI. SK. SL. TJ. TM. TR. TT. TZ. UA. UG. US. UZ. VN. YU. ZA. ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW). Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 11 July 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CAPSULE OF CELLULOSE DERIVATIVES SUCH AS HPMC CONTAINING BENZIMIDAZOLE DERIVATIVES SUCH AS OMEPRAZOLE

Int estional Application No PUI/SI 01/00031

Relevant to claim No.

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K9/48 A61K31/454 A61P1/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61K

Category . Citation of document, with indication, where appropriate, of the relevant passages

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

P,Y	EP 1 072 258 A (GREITHER PETER) 31 January 2001 (2001-01-31) whole document, in particularly: claims 1,2,4	1-19, 29-37
х	EP 0 960 620 A (RANBAXY LAB LTD) 1 December 1999 (1999-12-01)	1-14, 17-19, 29-35
Y	whole document, in particularly: claims 1,25-27 page 3, line 1-7 page 5, line 34-36	15,16, 36,37

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document referring to an oral disclosure, use, exhibition or other means P* document published prior to the international filing date but later than the priority date claimed	 *T° later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X° document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y° document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&° document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
22 March 2002	08/05/2002
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Luangkhot, N

Intrational Application No
PUI/SI 01/00031

		FC1/31 01/00031
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 99 03453 A (LEK TOVARNA FARMACEVTSKIH; REBIC LJUBOMIRA BARBARA (SI); KOFLER BO) 28 January 1999 (1999-01-28) cited in the application whole document, in particularly: claims 1-3,5-8,30,31,37 page 3, line 16,17 page 7, line 28 -page 8, line 3 page 10, line 6-21 page 13, line 3-28 page 13, line 20-27 -page 4, line 2	1-19, 29-37
Υ	T. OGURA, Y. FURUYA, M. MAATSUURA: "HPMC Capsules-An Alternative to Gelatin" PHARMACEUTICAL TECHNOLOGY EUROPE, vol. 10, no. 11, November 1998 (1998-11), pages 32-42, XP001062392 cited in the application whole document, in particularly: * conclusion * abstract	1-19, 29-37
Υ	EP 0 496 437 A (HAESSLE AB) 29 July 1992 (1992-07-29) whole document, in particularly: page 5, line 1-3; claims 1,2,8	1-19, 29-37
Y	WO 96 24375 A (ASTRA AB; DEPUI HELENE (SE); ROSINSKI ADAM (SE)) 15 August 1996 (1996-08-15) whole document, in particularly: page 5, line 11; claims 1,3,5,6,22; examples 9-12,14 page 2, line 16-22 page 18, line 2	1-19, 29-37
Y	US 5 431 917 A (YAMAMOTO TAIZO ET AL) 11 July 1995 (1995-07-11) cited in the application whole document, in particularly: column 2, line 30-38; claims 1,4; table 1 column 1, line 41-48	1-19, 29-37

Information on patent family members

Intrational Application No PCI/SI 01/00031

				PC1/51	01/00031
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 1072258	Α	31-01-2001	EP	1072258 A1	31-01-2001
EP 0960620	A	01-12-1999	AU	1979699 A	13-12-1999
			BR	9910723 A	12-06-2001
			CN	1237415 A	08-12-1999
			EP	0960620 A1	01-12-1999
			WO	9961022 A1	02-12-1999
			ZA	9810765 A	06-08-1999
WO 9903453	Α	28-01-1999	SI	9700186 A	28-02-1999
WO 3303130	••	20 01 1333	ΑŪ	8252398 A	10-02-1999
			EP	1003487 A1	31-05-2000
			PL	338010 A1	25-09-2000
			WO	9903453 A1	28-01-1999
EP 0496437	Α	29-07-1992	GB	2189698 A	04-11-1987
			SG	154294 G	17-03-1995
			AT	84215 T	15-01-1993
			EP	0496437 A2	29-07-1992
•			GR	3020734 T3	30-11-1996
			LV	5760 A4	20-12-1996
			AR	240250 A1	30-03-1990
	•		AT	140387 T	15-08-1996
			AT	184482 T	15-10-1999
			AU	601974 B2	27-09-1990
			AU	7191287 A	05-11-1987
			CA	1292693 A1	03-12-1991
			CN	87103284 A ,B	11-11-1987
			CY	1810 A	20-10-1995
			DD	273197 A5	08-11-1989
			DE	3751860 D1	22-08 -199 6
			DE	3751860 T2	21-11-1996
			DΕ	3783394 D1	18-02-1993
			DE	3783394 T2	06-05-1993
			DE	247983 T1	27-09-1990
			DK	215887 A	31 – 10 –1987
			EP	024 7 983 A2	02-12-1987
			EP	0567201 A2	27-10-1993
			ES	2006457 T3	01-01-1994
			ES	2091971 T3	16-11-1996
			ES	2135443 T3	01-11-1999
			FI	871913 A ,B,	
			GR	89300058 T1	22-06-1989
			GR	3007434 T3	30-07-1993
			GR	3032101 T3	31-03-2000
			HK	52897 A	02-05-1997
			HK	135294 A	09-12-1994
			HR	920854 A1	31-10-1994
			HU	43954 A2	28-01-1988
			ΙE	61416 B	02-11-1994
			ĴΡ	1863556 C	08-08-1994
			ĴΡ	62258320 A	10-11-1987
			ĴΡ	5069807 B	01-10-1993
			ĴΡ	2740993 B2	15-04-1998
			JР	5294831 A	09-11-1993
			KR	9104579 B1	06-07-1991
			LŤ	. 1683 A ,B	25-07-1995
			ĹŸ	10357 A	20-02-1995
			- T	10337 N	CO_0C 1333

information on patent family members

Intr-ational Application No
PC i /SI 01/00031

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0496437	A		LV	10357 B	20-04-1996
			NO	174239 B	27-12-1993
			NZ	220096 A	26-04-1990
			PH	25701 A	18-09-1991
			PT	84785 A ,B	01-05-1987
			SI	8710681 A8	31-10-1996
			SU	1820837 A3	07-06-1993
WO 9624375	A	15-08-1996	AU	689372 B2	26-03-1998
			AU	4682296 A	27-08-1996
			BR	9605111 A	07-10-1997
			CA	2186039 A1	15-08-1996
			CN	1148344 A	23-04-1997
			CZ	9602931 A3	12-11-1997
			EE	9600118 A	15-04-1997
			EP	0754061 A1	22-01-1997
			FI	963984 A	04-10-1996
			HR	960032 A1	31-10-1997
			HU	9603064 A2	28-08-1997
			IL	. 117041 A	16-07-2000
			JP	9511767 T	25-11-1997
			NO	964212 A	04-10-1996
			NZ	301408 A	28-07-1998
•			PL	316684 A1	03-02-1997
			WO	9624375 A1	15-08-1996
			SK	126096 A3	07-05-1997
			TR	970235 T1	21-03-1997
			US	6136344 A	24-10-2000
		(1)	ZA	9600365 A	06-08-1996
US 5431917	Α	11-07-1995	US	5264223 A	23-11-1993

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.